GUIDE

Do I actually need a wheelchair cushion, or is the chair enough?

Who genuinely needs a pressure cushion, who does not, and why the cushion is never the whole answer.

July 28, 2026 · 4 minute read



The short answer

For someone who is in a wheelchair for short trips, an hour at a time, and who can shift their own weight without thinking about it, the chair is often enough. For someone who sits in the chair for most of their waking day, or who cannot easily change position, the seat that came with the chair is very rarely enough. Most people are somewhere between those two, which is why the honest answer is a measurement rather than a yes or no.

It helps to see the cushion as one part of how someone moves, not as an accessory bolted onto a chair. That is the whole idea behind Mobility Adaptation: needs change, so the setup changes with them. A cushion that was right two years ago may be wrong now for reasons that have nothing to do with the cushion.

What the standard chair seat actually does

Most manually propelled wheelchairs come with sling upholstery: a piece of fabric stretched between two side rails. It folds, it is light, and it is cheap to replace. It also stretches with use. As it sags, the middle drops lower than the edges, the thighs roll inwards, and the pelvis tends to slide and rotate. That is comfortable enough for twenty minutes and works against a person over eight hours.

A cushion does three separate jobs, and it is worth knowing which one you are buying:

- **Pressure distribution.** Spreading load away from the sitting bones, the tailbone and the base of the spine, where tissue is squeezed between bone and seat.
- **Posture and stability.** Giving a level, predictable base so the person sits upright instead of sliding forward into a slump.
- **Comfort and microclimate.** Heat and moisture at the skin surface make everything else worse, so cover material matters more than people expect.

When a cushion is not the answer

This is the part most buying guides skip. If the person is sliding forward, leaning hard to one side, or getting sore despite a good cushion, the cushion is usually not the fault. Look first at the chair itself: a seat that is too wide lets the body drift sideways, a seat that is too deep presses behind the knees and pushes the pelvis forward, and footplates set at the wrong height throw the whole load back onto the sitting bones. Buying a better cushion to fix a badly sized chair is money spent on the wrong problem, and it can make transfers harder because it raises the seat.

Two other cases where a purchase will not solve it. If someone spends most of the day in an armchair or in bed and only uses the wheelchair to get to the car, the wheelchair cushion is not where their pressure risk lives. And if there is already broken skin, or redness that stays visible after pressure has been off it for half an hour, that is a clinical matter: it needs a nurse or an occupational therapist looking at it, not a product page. A cushion may well be part of the answer, but it should not be the first move.

Choosing between the main types

- **Foam.** Light, stable, no maintenance, and the easiest base for standing transfers. It loses resilience over time, and once it has flattened it is doing very little. Check the manufacturer's stated service life and note the date you bought it.

- **Gel or fluid.** Good stability and a cooler feel for some people. Heavier, and some designs need the fluid moving back into place periodically.
- **Air cell.** The strongest option for offloading pressure over bony areas, at the cost of ongoing attention: inflation has to be checked regularly, and an over inflated cushion offers less protection than a correctly set one. The softer feel can also make standing up harder.
- **Hybrid.** A foam base with gel or air where it is needed. A reasonable middle path, usually heavier and dearer than plain foam.

Whatever the fill, the cover is not a detail. A stretchy top that moves with the cushion, and a base that grips the seat, will outperform a better cushion inside a tight, slippery cover.

What to measure and what to ask

- **Hip width**, sitting, at the widest point, and **seat depth**: from the back of the buttocks to the back of the knee, then leave a small clearance so nothing presses behind the knee.
- **Current seat-to-floor height.** A cushion raises the sitting position. Check afterward that the feet still rest properly, that the arms of the chair still fit under a table, and that someone who propels with their feet can still reach the ground.
- **Hours seated per day**, and whether the person can shift their own weight unprompted.
- **Skin history:** any past pressure damage, reduced sensation, incontinence, or recent weight change.
- **Ask the supplier:** the weight limit, the stated service life, whether the cover is machine washable, how to tell when it has bottomed out, and whether there is a trial or return period.
- **Ask a professional:** if the person has been assessed by a wheelchair service or occupational therapist before, ask whether that assessment still reflects how they sit today.

General information, not medical advice. If fit, posture, pressure relief or fall risk is part of your decision, speak to an occupational therapist.

SILVERA MOBILITY

silveramobility.com

Silvera selects the best wheelchairs, walkers and mobility products for different needs. No giant catalog, no confusing choices, and a plain account of what is wrong with each one.